Colour: White



Benefit

- QuickDry: dries hands quickly and thoroughly
- •High capacity: less maintenance
- •One towel at a time: reduced consumption and increased hygiene
- Decor embossing with Leaf pattern: designed to make a great impression
- •Tork Easy handling features: Easy to open, easy to flatten and easy to carry away



100 m





Product properties

Article	System	Roll Length	Roll Width	Roll Diameter	Core Inner Diameter	Ply	Print	Embossing	Colour
290016	H1 - Hand towel roll system	100 m	21 cm	19 cm	3.8 cm	2	No	Yes	White

Description

The Tork Matic® system for hand towel rolls (H1) has a high capacity that is ideal for busy washrooms found in places like schools and airports.



Shipping data

Consumer unit

EAN	7310791256115		
Pieces	1		
Material	Banderole		
Height	210 mm		
Width	190 mm		
Length	190 mm		
Volume	7.6 dm3		
Net weight	861 g		
Gross weight	877 g		

Transport unit

EAN	7310791256108			
Pieces	6			
Consumer units	6			
Material	Carton			
Height	247 mm			
Width	388 mm			
Length	588 mm			
Volume	56.4 dm3			
Net weight	5.2 kg			
Gross weight	5.8 kg			



Environmental

Content

Virgin pulp

Chemicals

Material

Virgin fibre

Virgin pulp fibres are produced out of softwood or hardwood. The process is either sulphite or sulphate delignification, meaning that e.g. lignins and resins are removed from cellulosic material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free(where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view.

The used functional chemicals are:

Wetstrength agent

Dry strength agent

Dye = if coloured

Fixing agents

Glue = if used

The process chemicals are:

Antipitch

Protection agent

Yankee coating

Defoamer

Dispersing agents and surfactants

pH and charge control

Retention aids



Broke treatment chemicals

Drainage aid

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Food Contact

This product fulfils the legislative requirements for Food Contact materials, confirmed by external certification performed by a third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.

Environmental label = EU Ecolabel

This product is not approved for the EU Ecolabel.

This product is certified according to FSC.

Date of issue 2013-06-26

Revision date 2014-05-23

SCA Hygiene Products AB, 405 03 Göteborg, Sweden

Production

Material produced and converted at Kostheim mill, Germany, certified according to ISO 9001:2000, ISO 14001 and EMAS

Destruction

This product is mainly used for personal hygiene and can be collected together with household waste.

