

Benefit

- •High capacity: less maintenance
- •One towel at a time: reduced consumption and increased hygiene
- Decor embossing with Leaf pattern: designed to make a great impression
- •Tork Easy handling features: Easy to open, easy to flatten and easy to carry away



150 m





Product properties

Article	System	Roll Length	Roll Width	Roll Diameter	Core Inner Diameter	Ply	Print	Embossing	Colour
290067	H1 - Hand towel roll system	150 m	21 cm	19 cm	3.8 cm	2	No	Yes	White

Description

The Tork Matic® system for hand towel rolls (H1) has a high capacity that is ideal for busy washrooms found in places like schools and airports.



Shipping data

Consumer unit

EAN	7322540138597
Pieces	1
Material	Banderole
Height	210 mm
Width	190 mm
Length	190 mm
Volume	7.6 dm3
Net weight	1307 g
Gross weight	1335 g

Transport unit

EAN	7322540138719		
Pieces	6		
Consumer units	6		
Material	Carton		
Height	247 mm		
Width	388 mm		
Length	588 mm		
Volume	56.4 dm3		
Net weight	7.8 kg		
Gross weight	8.6 kg		



Environmental

Content

The fibre composition in the product is virgin and recycled

Material

Virgin fibres and recovered paper

In the tissue process both virgin fibres and recovered paper are being used. In the process it is a matter of finding an efficient solution where both virgin fibres and recovered paper play a role. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important.

The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free(where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view .

The used functional chemicals are:

Wetstrength agent

Dry strength agent

Dye

Fixing agents

Fluorescent whitening agent

Glue

Softeners

The process chemicals are:

Antipitch



Protection agent

Yankee coating

Defoamer

Dispersing agents and surfactants

pH and charge control

Retention aids

Broke treatment chemicals

Drainage aid

Packaging

Fulfillment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Food Contact

This product fulfils the legislative requirements for Food Contact materials, confirmed by external certification performed by a third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.

Environmental label = EU Ecolabel

This product is approved for the EU Ecolabel.

Date of issue 2013-10-25

Revision date 2014-05-26

SCA Hygiene Products AB, 405 03 Göteborg, Sweden

Production

This product is produced at Kostheim mill, Germany.

Kostheim mill is certified according to ISO 14001 and EMAS.

Destruction

This product is mainly used for personal hygiene and can be collected together with household waste.

The packaging can be used for material recovery or energy recovery

